

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Silicone Sealant **1.2 Relevant identified uses of the substance or mixture and uses advised against**

1.3 Details of the supplier of the safety data sheet

Company	 Smartseal UK Ltd Unit 3 65-67 Cutlers Road South Woodham Ferrers Chelmsford Essex CM3 5WA United Kingdom
Telephone	: 01268 722500
E-mail address	: contactus@smartseal.co.uk

1.4 Emergency telephone number

Emergency telephone	: 01268 722500 (office hours only Mon-Fri 8:30 – 17:30))
number	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms		
Signal word	: Warning	
Hazard statements	: H319	Causes serious eye irritation.
Precautionary statements	: Prevention: P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face
Country GB 10000006638		protection. 1 / 12



Version 3.3

Response:P305 + P351 + P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P337 + P313If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	Classification	Concentration
CAS-No.		
	(REGULATION (EC)	[%]
EC-No.	No 1272/2008)	
Registration number		
trimethoxyvinylsilane	Flam. Liq.3; H226	>= 1 - < 2,5
2768-02-7	Acute Tox.4; H332	
220-449-8	STOT RE2; H373	
01-2119513215-52-XXXX		
Contains:		
tetramethyl orthosilicate <= 0,2 %		
bis(ethyl acetoacetato-O1',O3)bis(2-methylpropan-1-	Flam. Liq.3; H226	>= 1 - < 2,5
olato)titanium	Skin Irrit.2; H315	
83877-91-2	Eye Dam.1; H318	
281-161-6	STOT SE3; H335	
01-2119968551-31-XXXX	STOT SE3; H336	
Contains:	,	
2-methylpropan-1-ol <= 2 %		
methanol	Flam. Liq.2; H225	< 1
67-56-1	Acute Tox.3; H331	
200-659-6	Acute Tox.3; H311	
01-2119433307-44-XXXX	Acute Tox.3; H301	
	STOT SE1; H370	
	STOT SE1; H370	
	STOT SE1; H370	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
----------------	---



Revision Date 26/10/2021

If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms ar	nd e	ffects, both acute and delayed
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes serious eye irritation.
4.3 Indication of any immediate	med	lical attention and special treatment needed
Treatment	:	Treat symptomatically.

Version 3.3

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.





SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Deny access to unprotected persons.

6.2 Environmental precautions

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure lim section 8). Do not get in eyes, on skin, or on clothing, personal protection see section 8. Smoking, eating an ing should be prohibited in the application area. Follo ard hygiene measures when handling chemical produ-	. For nd drink- w stand-
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.	
Hygiene measures	: Handle in accordance with good industrial hygiene ar practice. When using do not eat or drink. When using smoke. Wash hands before breaks and at the end of	g do not
7.2 Conditions for safe storage,	cluding any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventila place. Store in accordance with local regulations.	ited
Other data	: No decomposition if stored and applied as directed.	
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Country GB 10000006638





Components with workplace control parameters

Components	CAS-No.	Value	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 266 mg/m3	GB EH40
		STEL	250 ppm 333 mg/m3	GB EH40

Version 3.3

Occupational exposure limits of decomposition products

Components	CAS-No.	Value	Control parame- ters	Basis *
methanol	67-56-1	TWA	200 ppm 266 mg/m3	GB EH40
		STEL	250 ppm 333 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

DNEL :	End Use: Workers Exposure routes: Skin contact Exposure time: 8 h Value: 40 mg/m3
	End Use: Consumers Exposure routes: Skin contact Exposure time: 8 h Value: 260 mg/m3
PNEC methanol : 8.2 Exposure controls	
Personal protective equipment	
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed.





Revision Date 26/10/2021	Version 3.3	Print Date 26/1
	Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	: Protective clothing (e.g. Safety shoes a long-sleeved working clothing, long trou and protective boots are additionaly receased and stirring work.	sers). Rubber aprons
Respiratory protection	 Respirator selection must be based on k exposure levels, the hazards of the prod ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < Ensure adequate ventilation. This can be exhaust extraction or by general ventilati ods for determining inhalation exposure) ticular to the mixing / stirring area. In cas to keep the concentrations under the occ limits then respiration protection measure 	uct and the safe work- 10000 ppm e achieved by local ion. (EN 689 - Meth- . This applies in par- se this is not sufficent cupational exposure

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	various
Odour	:	sweet
Odour Threshold	:	No data available
Flash point	:	> 100 °C
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Lower explosion limit (Vol-%)	:	No data available
Upper explosion limit (Vol-%)	:	No data available
Flammability	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

Country GB 10000006638

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Silicone Sealant

Revision Date 26/10/2021



Version 3.3



pH Melting point/range / Freez- ing point	-	No data available No data available
Boiling point/boiling range	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	1,35 g/cm3
Water solubility Partition coefficient: n- octanol/water	-	insoluble No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20,5 mm2/s
Relative vapour density	:	No data available
Evaporation rate	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
10.4 Conditions to avoid Conditions to avoid	:	No data available
10.5 Incompatible materials Materials to avoid	:	No data available
10.6 Hazardous decomposition pr	00	ducts
Hazardous decomposition products	:	methanol
		No decomposition if stored and applied as directed.



Version 3.3



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

<u>Components:</u> trimethoxyvinylsilane: Acute oral toxicity	: LD50 Oral (Rat): ca. 7.120 mg/kg
Acute inhalation toxicity	: LC50: ca. 16,8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50: 3.540 mg/kg
methanol: Acute oral toxicity	: Acute toxicity estimate: 100 mg/kg Method: Converted acute toxicity point estimate
Acute inhalation toxicity	 Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Converted acute toxicity point estimate
Acute dermal toxicity	: Acute toxicity estimate: 300 mg/kg Method: Converted acute toxicity point estimate

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Country GB 10000006638



Version 3.3



Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

mation

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6 Other adverse effects	
Product:	
Additional ecological infor-	: There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with poil waste waste. 	
European Waste Catalogue	soil, waterways, drains and sewers.16 03 03* inorganic wastes containing dangerous substances	



Contaminated packaging

: 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/Restriction REACH - Restrictions on the mather market and use of certain date preparations and articles (Annex	angerous substances,	:	Not applicable	
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are (=> 0.1 %).	listed
REACH - List of substances subj (Annex XIV)	ject to authorisation	:	Not applicable	
Counterage 1000000000000000000000000000000000000	All substances contain	ned ir	n our Products are	10 / 12





Revision Date 26/10/2021

- preregistered Vorsions and by our upstream supplicing, Date 26/10/2021





Revision Date 26/10/2021

Version 3.3

excluded from the regulation, and/orexempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

VOC-CH (VOCV)	: 0,19 % no VOC duties

VOC-EU (solvent) : 0,19 %

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards
	Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Full text of H-Statemer	nts
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

Full text of other abbreviations

Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquids
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
ADR	Accord européen relatif au transport international des marchandises

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Silicone Sealant

Revision Date 26/10/2021

Version 3.3



	Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which
	causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that
	kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships,
	1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !