

Created: 22/11/2022

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
 - Product Name: Smartseal Oil Remover for Tarmac & Asphalt
 - UFI:
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Use of the substance/mixture: Cleaning agent, Surface

treatment 1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Smartseal UK Ltd
- Address of Supplier: Unit 65-67

Cutlers Road

South Woodham Ferrers

CM3 5WA

Essex, United Kingdom

- Telephone: +44 (0) 1268 722500
- Responsible Person: Nick Giannotti
- Email: contactus@smartseal.co.uk
- 1.4 Emergency telephone number
 - Emergency Telephone: +44 (0) 1268 722500 (8:30-5:30 Mon-Fri)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - CLP: Eye Dam. 1
- 2.2 Label elements



- Signal Word: Danger

Hazard statements

Causes serious eye damage (H318).

Precautionary statements

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338). Wear protective gloves/protective clothing/eye protection/face protection (P280). Immediately call a POISON CENTER or doctor/physician (P310).

- 2.3 Other hazards
 - Contains: Alcohols, C9-11, ethoxylated

Datasheet Number: POT07-1000-01 - v1.0.0

Prometheus version 1.6.5.9

Created: 22/11/2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

BENZENESULFONIC ACID, MONO-C10-16-ALKYL DERIVS., SODIUM SALTS

CAS Number: 68081-81-2 EC Number: 268-356-1 Concentration: 1% - 10% Specific Concentration Limits:

M factor:

Acute toxicity estimate:

Categories: Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1

Symbols: GHS05, GHS07

H Statements: H302, H315, H318

Ethylenediaminetetraacetic acid, tetrasodium salt

CAS Number: 64-02-8 EC Number: 200-573-9 Concentration: <1%

Specific Concentration Limits:

M factor:

Acute toxicity estimate:

Categories: Acute Tox. 4, Eye Dam. 1

Symbols: GHS05;GHS07 H Statements: H302;H318

Alcohols, C9-11, ethoxylated

CAS Number: 68439-46-3 EC Number: 614-482-0 Concentration: 1% - 10% Specific Concentration Limits:

M factor:

Acute toxicity estimate:

Categories: Acute Tox. 4, Eye Dam. 1

Symbols: GHS05, GHS07 H Statements: H302, H318

1,2-benzisothiazol-3(2H)-one

CAS Number: 2634-33-5 EC Number: 220-120-9 Concentration: <1%

Specific Concentration Limits: Skin Sens. 1; H317: C ≥ 0,05 %

M factor:

Acute toxicity estimate:

Categories: Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Skin Sens. 1; Aquatic Acute 1

2

Symbols: GHS05,GHS07,GHS09

H Statements: H302,H315,H318,H317,H400

Prometheus version 1.6.5.9

SECTION 3: Composition/information on ingredients (....)

DIPROPYLENEGLYCOL METHYLETHER

CAS Number: 34590-94-8
EC Number: 252-104-2
Concentration: 1% - 10%
Specific Concentration Limits:

M factor:

Acute toxicity estimate:

Categories:

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS.

WITH 2PROPANAMINE

CAS Number: 84961-74-0 EC Number: 284-664-9 Concentration: 1% - 10% Specific Concentration Limits:

M factor:

Acute toxicity estimate:

Categories: Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3

Symbols: GHS07

H Statements: H315, H319, H412

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- 4.2 Most important symptoms and effects, both acute and delayed
 - May cause redness and irritation
 - May cause severe irritation
 - Mildly irritating to skin and eyes
 - Can cause damage to the eyes and skin
- 4.3 Indication of any immediate medical attention and special treatment

needed - Immediately call a POISON CENTER or doctor/physician.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
- 5.2 Special hazards arising from the substance or mixture
 - No hazard expected under normal conditions of use
- 5.3 Advice for firefighters
 - Wear full protective clothing including chemical protection suit
 - Wear chemical protection suit and positive-pressure breathing apparatus
 - Prevent run off water from entering drains if possible

Datasheet Number: POT07-1000-01 - v1.0.0

Prometheus version 1.6.5.9

SECTION 6: Accidental release measures

Spillage causes slippery surface

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Contain spillage by any means possible
 - Wear eye/face protection
 - Wear protective clothing as per section 8
- 6.2 Environmental precautions
 - Avoid release to the environment. Refer to special instructions/Safety data sheets
 - Do not empty into drains
 - Use appropriate containment to avoid environmental contamination
- 6.3 Methods and material for containment and cleaning up
 - Absorb spillage in dry sand
 - Absorb spillage in earth or sand
 - Remove contaminated material to safe location for subsequent disposal
- 6.4 Reference to other sections
 - See Section 8

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 - Wear protective gloves/protective clothing/eye protection/face protection.
- 7.2 Conditions for safe storage, including any incompatibilities
 - Store in a well-ventilated place. Keep container tightly closed.
- 7.3 Specific end use(s)
 - No information available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DIPROPYLENE GLYCOL METHYL ETHER

DN	EL
----	----

Exposure	Value	Population	Effect
Dermal	283 mg/kg/day	Workers	Systemic
Inhalation	308 mg/kg	Workers	Systemic
Dermal	121 mg/kg/day	Consumers	Systemic
Inhalation	37.2mg/m3	Consumers	Systemic
Oral	36 mg/kg/day	Consumers	Systemic

PNEC

Exposure	Value	Population	Effect
Fresh water	19 mg/l	· <u>-</u>	-
Marine water	1.9 mg/l	-	-
Intermittent release	190 mg/l	-	-
STP	4168 mg/l	-	-
Sediment (Freshwater)	70.2 mg/kg/day	-	-
Sediment (Marine water)	7.02 mg/kg/day	-	-
Soil (agricultural)	2.74 mg/kg/day	-	-

Datasheet Number: POT07-1000-01 - v1.0.0

Prometheus version 1.6.5.9

SECTION 8: Exposure controls/personal protection (....)

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS.,

COMPDS DNEL

Exposure	Value	Population	Effect
Inhalation	3.33mg/m3	Workers	Systemic
Dermal	0.94 mg/kg/day	Workers	Systemic
Inhalation	0.82 mg/m3	Consumers	Systemic
Dermal	0.47 mg/m3	Consumers	Systemic
Oral	0.47 mg/kg/day	Consumers	Systemic

PNEC

Exposure	Value	Population	Effect
Fresh water	0.268mg/l	-	-
Marine water	0.0268mg/l	-	-
Soil (agricultural)	35mg/kg	-	-
Fresh water sediments	8.1mg/kg	-	-
Marine sediments	8.1mg/kg	-	-
STP	1.67ma/L	-	-

8.2 Exposure controls

- Wear protective gloves/protective clothing/eye protection/face protection.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state: liquid

- Colour: cream

- Odour: Characteristic odour

Melting point/Range: not availableBoiling Point/Range: not available

- Flammability: Non-flammable

- pH: Approximately 8.0

- Solubility in water: Completely soluble in water

Density: 1.010Flashpoint: >93°C

9.2 Other information

- No information available

SECTION 10: Stability and reactivity

10.1 Reactivity

- This article is considered stable under normal conditions

10.2 Chemical stability

- This article is considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Avoid contact with skin and eyes

- Keep away from heat

Datasheet Number: POT07-1000-01 - v1.0.0

Prometheus version 1.6.5.9

SECTION 10: Stability and reactivity (....)

10.5 Incompatible materials

- Incompatible with acid
- Incompatible with strong oxidizing substances

10.6 Hazardous decomposition products

- No hazardous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

DIPROPYLENE GLYCOL METHYL ETHER DERMAL RBT LD50 9510 mg/kg INHALATION RAT LC50 3404.47 mg/l ORAL RAT LD50 8740 mg/kg

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS ORAL RAT LD50 >2000 mg/kg

ALCOHOLS C9-11, ETHOXYLATED DERMAL - LD50 >2000 mg/kg ORAL - LD50 >300, <2000 mg/kg

Skin corrosion/irritation

May cause redness and irritation May cause severe irritation

Serious eye damage/irritation

In extreme cases ocular damage caused May cause redness and irritation Possible risk of irreversible effects

Respiratory or skin sensitisation

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Germ cell mutagenicity

No information available

Carcinogenicity

No information available

Reproductive toxicity

No information available

STOT (specific target organ toxicity) - single exposure

No information available

STOT (specific target organ toxicity) - repeated exposure

No information available

Aspiration hazard

Prometheus version 1.6.5.9

SECTION 11: Toxicological information (....)

No information available

- 11.2 Information on other hazards
 - No information available

SECTION 12: Ecological information

12.1 Toxicity

DIPROPYLENE GLYCOL METHYL ETHER Daphnia magna 48H EC50 1919 mg/l FISH 96H LC50 >1000 mg/l **GREEN ALGA (Selenastrum capricornutum) 75H EC50** >969 mg/l Scenedesmus Subspicatus 72H EC50 6999 mg/l

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS Aquatic plants 48H EC50 >10 mg/l Daphnia magna 96H EC50 15 mg/l FISH 96H LC50 1-5 mg/l

ALCOHOLS C9-11, ETHOXYLATED ALGAE LL/EL/IL50 >100 mg/l Daphnia magna LL/EL/IL50 1-10 mg/l FISH LL/EL/IL50 1-10 mg/l

- 12.2 Persistence and degradability
 - Biodegradable
- 12.3 Bioaccumulative potential

No bioaccumulation potential.

- 12.4 Mobility in soil
 - miscible with water
- 12.5 Results of PBT and vPvB assessment
 - Not a PBT according to REACH Annex XIII
- 12.6 Endocrine disrupting properties
 - Not applicable
- 12.7 Other adverse effects
 - No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Avoid release to the environment. Refer to special instructions/Safety data sheets
- Disposal should be in accordance with local, state or national legislation
- Do not discharge into drains or the environment, dispose to an authorised waste collection point

SECTION 14: Transport information

14.1 UN number or ID number

Datasheet Number: POT07-1000-01 - v1.0.0

Prometheus version 1.6.5.9

SECTION 14: Transport information (....)

- UN No.: Not applicable

14.2 UN proper shipping name

- Proper Shipping Name: Not

applicable 14.3 Transport hazard class(es)

- Hazard Class: Not applicable

14.4 Packing group

- Packing Group: Not applicable

14.5 Environmental hazards

- Not applicable

14.6 Special precautions for user

- No special precautions are required for this product

14.7 Maritime transport in bulk according to IMO instruments - No information available

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Not hazardous according to current ADR Regulations
- 15.2 Chemical safety assessment
 - A chemical safety assessment (CSA) for this product has not yet been completed

Created: 22/11/2022

8

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H302: Harmful if swallowed. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. H412: Harmful to aquatic life with long lasting effects.

--- end of safety datasheet --

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Datasheet Number: POT07-1000-01 - v1.0.0

Prometheus version 1.6.5.9